



Workplace Chairs




## COMPANY PROFILE

Diwar was founded in 1970 not far from Venice as a small factory of plastic moulding for the furniture industry.

Since then, starting from the design and development of components, Diwar has gained sturdy expertise in the field of office, community and contract seating, considering both the chair in its entirety and its positioning in the target market.

The Diwar brand is well established worldwide for its original style and quality of its products. Today, under a strong and skilled managerial team, Diwar updates the classic products and presents new proposals to embark on a new stage of development.



# PRODUCTION AREA



MEMPHIS PU  
PG. 4



MEMPHIS UPHOLSTERED  
PG. 7



MEMPHIS WOOD  
PG. 8



PETRA  
PG. 10

# STANDING WORKPLACE



ASTREO  
PG. 13



PAROS  
PG. 14



MILETO  
PG. 15



SPARTA  
PG. 16



# MEMPHIS PU

## PERMANENT CONTACT

The Memphis workplace chair is extremely robust and practical, ideal for use in offices and factories, checking points, workshops and laboratories. It guarantees a high level of safety, hygiene and ergonomics. Integral polyurethane foam delivers a product that is soft and durable, with a tough, flexible, tear-resistant skin. The strong integral self-skinned surface provides protection against scratch, wear and tear and abrasion.



### TECHNICAL NOTES

PERMANENT CONTACT SN1601815, thanks to the lateral knob, allows to easily adjust the backrest inclination according to your favorite position while you are sitting down. Back height adjustment with rear knob.



### TECHNICAL DETAILS

- polyurethane integral skin foam seat and back
- back height adjustment with knob
- permanent contact
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile e schienale in poliuretano integrale autopellante*
- *schienale regolabile in altezza con volantino*
- *contato permanente*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# MEMPHIS PU

## ASYNCHRON 2 LEVERS

The Memphis workplace chair is extremely robust and practical, ideal for use in offices and factories, checking points, workshops and laboratories. It guarantees a high level of safety, hygiene and ergonomomy. Integral polyurethane foam delivers a product that is soft and durable, with a tough, flexible, tear-resistant skin. The strong integral self-skinned surface provides protection against scratch, wear and tear and abrasion.



### TECHNICAL NOTES

ASYNCHRON MECHANISM SM4502015 allows adjustment of seat and back inclination by simply adjusting one lever. Seat and back lock in any position. Back height adjustment by push button.



### TECHNICAL DETAILS

- polyurethane integral skin foam seat and back
- back height adjustment with push button
- asynchron mechanism with two levers
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile e schienale in poliuretano integrale autopellante*
- *schienale regolabile in altezza con pulsante*
- *meccanismo asynchron a due leve*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# MEMPHIS PU

## ASYNCHRON 3 LEVERS

The Memphis workplace chair is extremely robust and practical, ideal for use in offices and factories, checking points, workshops and laboratories. It guarantees a high level of safety, hygiene and ergonomomy. Integral polyurethane foam delivers a product that is soft and durable, with a tough, flexible, tear-resistant skin. The strong integral self-skinned surface provides protection against scratch, wear and tear and abrasion.



### TECHNICAL NOTES

ASYNCHRON MECHANISM SM4552015 allows adjustment of seat and back inclination independently with two different levers. Seat and back lock in any position. Back height adjustment with side knob.



### TECHNICAL DETAILS

- polyurethane integral skin foam seat and back
- back height adjustment with knob
- asynchron mechanism with three levers
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile e schienale in poliuretano integrale autopellante*
- *schienale regolabile in altezza con volantino*
- *meccanismo asynchron a tre leve*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11



# MEMPHIS UPHOLSTERED

## PERMANENT CONTACT

The Memphis workplace chair is extremely robust and practical, ideal for use in offices and factories, checking points, workshops and laboratories. It guarantees a high level of safety, hygiene and ergonomomy. The upholstered version is the ideal solution when a really comfortable chair is needed. In addition to its outstanding ergonomic features, Memphis is above all extremely comfortable. With synthetic leather cover or the latest technological materials available it provides maximum comfort and sturdiness at the same time



### TECHNICAL NOTES

PERMANENT CONTACT SN1601815, thanks to the lateral knob, allows to easily adjust the backrest inclination according to your favorite position while you are sitting down. Back height adjustment with rear knob.



### TECHNICAL DETAILS

- upholstered seat and back
- polypropylene outer seat and back
- back height adjustment with knob
- permanent contact
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile e schienale tappezzato*
- *copriscienale e sottosedile in polipropilene*
- *schienale regolabile in altezza con volantino*
- *contatto permanente*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# MEMPHIS WOOD

## PERMANENT CONTACT

The Memphis workplace chair is extremely robust and practical, ideal for use in offices and factories, checking points, workshops and laboratories. It guarantees a high level of safety, hygiene and ergonomics. Seat and back are made of beech plywood. This washable material is particularly well suited to environments that contain aggressive substances. Wood is highly resistant, robust, durable and easy to clean. The transparent varnish highlights the natural veins of the wood.



### TECHNICAL NOTES

PERMANENT CONTACT SN1601815, thanks to the lateral knob, allows to easily adjust the backrest inclination according to your favorite position while you are sitting down. Back height adjustment with rear knob.



### TECHNICAL DETAILS

- natural varnished beech plywood seat and back
- back height adjustment with knob
- permanent contact
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile e schienale in legno multistrato verniciato naturale*
- *schienale regolabile in altezza con volantino*
- *contato permanente*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# MEMPHIS WOOD

## ASYNCHRON 2 LEVERS

The Memphis workplace chair is extremely robust and practical, ideal for use in offices and factories, checking points, workshops and laboratories. It guarantees a high level of safety, hygiene and ergonomics. Seat and back are made of beech plywood. This washable material is particularly well suited to environments that contain aggressive substances. Wood is highly resistant, robust, durable and easy to clean. The transparent varnish highlights the natural veins of the wood.



### TECHNICAL NOTES

ASYNCHRON MECHANISM SM4502015 allows adjustment of seat and back inclination by simply adjusting one lever. Seat and back lock in any position. Back height adjustment by push button.



### TECHNICAL DETAILS

- natural varnished beech plywood seat and back
- back height adjustment with button
- asynchron mechanism with two levers
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile e schienale in legno multistrato verniciato naturale*
- *schienale regolabile in altezza con pulsante*
- *meccanismo asynchron a due leve*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# MEMPHIS WOOD

## ASYNCHRON 3 LEVERS

The Memphis workplace chair is extremely robust and practical, ideal for use in offices and factories, checking points, workshops and laboratories. It guarantees a high level of safety, hygiene and ergonomics. Seat and back are made of beech plywood. This washable material is particularly well suited to environments that contain aggressive substances. Wood is highly resistant, robust, durable and easy to clean. The transparent varnish highlights the natural veins of the wood.



### TECHNICAL NOTES

ASYNCHRON MECHANISM SM4552015 allows adjustment of seat and backrest inclination independently with two different levers. Seat and back lock in any position. Back height adjustment with side knob.



### TECHNICAL DETAILS

- natural varnished plywood seat and back
- back height adjustment with knob
- asynchron mechanism with three levers
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile e schienale in legno multistrato verniciato naturale*
- *schienale regolabile in altezza con volantino*
- *meccanismo asynchron a tre leve*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# PETRA

## PERMANENT CONTACT

Built to meet the highest international standards this chair scores full marks across the board on ergonomic comfort, performance, price, versatility and durability. The Petra workplace chair is a model of outstanding comfort thanks to its anatomically designed foams. Outer back and under seat are made of durable non-scratch polypropylene, which means the Petra is both easy to clean and hard-wearing. On request the same chair is available with light grey plastics.



### TECHNICAL NOTES

PERMANENT CONTACT SN1601815, thanks to the lateral knob, allows to easily adjust the backrest inclination according to your favorite position while you are sitting down. Back height adjustment with back knob.



### TECHNICAL DETAILS

- upholstered seat and back
- polypropylene outer seat and back
- back height adjustment with knob
- permanent contact
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile e schienale tappezzato*
- *copriscienale e sottosedile in polipropilene*
- *schienale regolabile in altezza con volantino*
- *contatto permanente*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# PETRA

## ASYNCHRON

Built to meet the highest international standards this chair scores full marks across the board on ergonomic comfort, performance, price, versatility and durability. The Petra workplace chair is a model of outstanding comfort thanks to its anatomically designed foams. Outer back and under seat are made of durable non-scratch polypropylene, which mean the Petra is both easy to clean and hard-wearing. On request the same chair is available with light grey plastics.



### TECHNICAL NOTES

ASYNCHRON MECHANISM SM4602015 allows adjustment of seat and back inclination independently with two different levers. Seat and back lock in any position. Backrest ratchet height adjustment.



### TECHNICAL DETAILS

- upholstered seat and back
  - polypropylene outer seat and back
  - backrest ratchet height adjustment
  - asynchron mechanism
  - gas column with polypropylene cover
  - height adjustable chrome plated foot-ring
  - five star nylon base with steel collar
  - Ø 49 mm polypropylene glides
- *sedile e schienale tappezzato*
  - *copriscienale e sottosedile in polipropilene*
  - *schienale regolabile in altezza con up-down*
  - *meccanismo asynchron*
  - *colonna a gas con copricolonna in polipropilene*
  - *anello poggiapiedi cromato regolabile in altezza*
  - *base a cinque razze in nylon con anello in acciaio*
  - *pedini in polipropilene Ø 49 mm*

### STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

### CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11



# ASTREO

Astreo is the practical solution for workplaces where people have to sit as well as stand. The seat surface has a non-slip pattern so you feel completely safe and comfortable when you sit. This hard-wearing stool provides optimum support in industrial and workshop applications. The sturdy five-star base and the solid seat made of integral polyurethane foam guarantee a long lifespan. The pneumatic column is also available with an easy ring control for a practical seat height adjustment.



RING VERSIONS



## TECHNICAL DETAILS

- integral skin polyurethane seat
- metal plate with lever
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile in poliuretano integrale autopellante*
- *piastra in metallo con leva*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiatesta cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

## STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

## CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11



# PAROS

The round front edge of the seat prevents blocked circulation in the thighs. With its extra-large seat of 38x43 cm Paros ensures comfort even in the smallest space. It is solidly built and is extremely tough. Thanks to the metal foot-ring you can rest your feet even when the gas column is completely extended. The five star non-tipping base provides a safe and stationary position with any seat height. On request Paros is available with a polished aluminium five-star base.



RING VERSIONS



## TECHNICAL DETAILS

- integral skin polyurethane seat
- metal plate with lever
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile in poliuretano integrale autopellante*
- *piastra in metallo con leva*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiatesta cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

## STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

## CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# MILETO

If you are looking for a budget-priced and basic model, Mileto is a straightforward yet solid option. It is ideal for workplace situations that involve standing up as well as sitting down. The standard nylon base is reinforced with 30% glass fibre and an internal steel collar. Mileto is available with a choice of castors with load-sensitive brakes for hard floors or with abrasion-resistant glides.



RING VERSIONS



## TECHNICAL DETAILS

- integral skin polyurethane seat
- metal plate with lever
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- Ø 49 mm polypropylene glides

- *sedile in poliuretano integrale autopellante*
- *piastra in metallo con leva*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene Ø 49 mm*

## STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

## CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

# SPARTA

For people whose jobs require mobility, standing, sitting and moving around, the Sparta is perfect for its reduced dimensions, making it ideal for sitting for short periods without getting in the way at other times. For all these scenarios, the Sparta stool is the entry-level solution. It is equipped with a highly resistant, robust, durable and easy to clean wooden seat.

As an alternative to the adjustable foot-ring a special aluminium base with fixed foot-ring is available.



RING VERSIONS



## TECHNICAL DETAILS

- natural varnished wooden seat
- metal plate with lever
- gas column with polypropylene cover
- height adjustable chrome plated foot-ring
- five star nylon base with steel collar
- $\varnothing$  49 mm polypropylene glides

- *sedile in legno verniciato naturale*
- *piastra in metallo con leva*
- *colonna a gas con copricolonna in polipropilene*
- *anello poggiapiedi cromato regolabile in altezza*
- *base a cinque razze in nylon con anello in acciaio*
- *pedini in polipropilene  $\varnothing$  49 mm*

## STOOL BASE OPTIONS



ART. SB1306615

ART. SB8006B11

ART. SB9202511

## CHAIR BASE OPTIONS



ART. SB1305615

ART. SB8005B11

## BASES



### SB1306615

Ø 650 mm five-star nylon base with glass fiber and steel collar - black.  
Base a cinque razze Ø 650 mm in nylon con fibra di vetro e anello centrale in acciaio - nera.



### SB1306673

Ø 650 mm five-star nylon base with glass fiber and steel collar - grey.  
Base a cinque razze Ø 650 mm in nylon con fibra di vetro e anello centrale in acciaio - grigia.



### SB8006B11

Ø 650 mm five-star polished aluminium base.  
Base a cinque razze Ø 650 mm in alluminio lucidato.



### SB9202511

Ø 650 mm five-star polished aluminium base with fixed foot-ring.  
Base a cinque razze Ø 650 mm in alluminio lucidato con anello poggiapiedi fisso.



### SB8005B11

Ø 600 mm five-star polished aluminium base.  
Base a cinque razze Ø 600 mm in alluminio lucidato.



### SB1305615

Ø 600 mm five-star nylon base with glass fiber and steel collar - black.  
Base a cinque razze Ø 600 mm in nylon con fibra di vetro e anello centrale in acciaio - nera.

## FOOTRING



### SB9002015

Ø 460 mm chrome plated foot-ring with knob for height adjustment.  
Anello poggiapiedi cromato Ø 460 mm con volantino per regolazione in altezza.

## COMPONENTS



### RT9002015

Ø 50 mm polypropylene castors, 11x20 mm zinc plated steel stem - black.  
Ruote in polipropilene Ø 50 mm, perno in acciaio zincato 11x20 mm - nere.



### RT9008015

Ø 50 mm rubber castors, 11x20 mm zinc plated steel stem.  
Ruote gommate Ø 50 mm, perno in acciaio zincato 11x20 mm.



### RP9008007

Ø 50 mm rubber castors with chrome cover, 11x20 mm zinc plated steel stem.  
Ruote gommate Ø 50 mm con lamierino cromato, perno in acciaio zincato 11x20 mm.



### RT9002073

Ø 50 mm polypropylene castors, 11x20 mm zinc plated steel stem - grey.  
Ruote in polipropilene Ø 50 mm, perno in acciaio zincato 11x20 mm - grigie.



### RT9009015

Ø 50 mm self-braking rubber castors, 11x20 mm zinc plated steel stem.  
Ruote autofrenanti gommate Ø 50 mm, perno in acciaio zincato 11x20 mm.



### RP9009007

Ø 50 mm self-braking rubber castors with chrome cover, 11x20 mm zinc plated steel stem.  
Ruote autofren. gommate Ø 50 mm con lamierino cromato, perno in acc. zincato 11x20 mm.



### RT9003015

Ø 50 mm conductive castors, 11x20 mm zinc plated steel stem.  
Ruote antistatiche Ø 50 mm, perno in acciaio zincato 11x20 mm.



### RP9002007

Ø 50 mm polyprop. castors with chrome cover, 11x20 mm zinc plated steel stem.  
Ruote in poliprop. Ø 50 mm con lamierino cromato, perno in acciaio zincato 11x20 mm.



### PW9002015

H.55 mm polypropylene glides with 11x20 mm zinc plated steel stem.  
Piedini in polipropilene H.55 mm con perno in acciaio zincato 11x20 mm.



### RT9006015

Ø 50 mm self-braking castors, 11x20 mm zinc plated steel stem.  
Ruote autofrenanti Ø 50 mm, perno in acciaio zincato 11x20 mm.



### RP9006007

Ø 50 mm self-braking castors with chrome cover, 11x20 mm zinc plated steel stem.  
Ruote autofrenanti Ø 50 mm con lamierino cromato, perno in acciaio zincato 11x20 mm.



### PU9002015

H.32 mm polypropylene glides with 11x20 mm zinc plated steel stem.  
Piedini in polipropilene H.32 mm con perno in acciaio zincato 11x20 mm.

## GAS COLUMNS AND COLUMN COVERS



**SF3350515**  
(black/nera)  
**SF3350502**  
(chrome/cromata)

H.375 gas column.  
*Colonna a gas H.375 mm.*



**SE3022015**  
(black/nero)  
**SE3022073**  
(grey/grigio)

Telescopic column cover.  
*Copricolonna telescopico.*



**SF3240415**  
(black/nera)  
**SF3240402**  
(chrome/cromata)

H.223 gas column.  
*Colonna a gas H.223 mm.*



**SE3002015**  
(black/nero)  
**SE3002073**  
(grey/grigio)

Inverted stages column cover.  
*copricolonna a stadi inversi.*



**SF3240415**  
(black/nera)  
Fixed column cover H.220.  
*Copricolonna fisso H.220.*

## MECHANISMS



**SN1601815**  
Permanent contact with knob for back height adjustment - black.  
*Contatto permanente con volantino per regolazione altezza schienale - nero.*



**SN1601873**  
Permanent contact with knob for back height adjustment - grey.  
*Contatto permanente con volantino per regolazione altezza schienale - grigio.*



**SM4502015**  
Asynchron mechanism with two levers and button for back height adjustment.  
*Meccanismo asynchron a due leve con pulsante per regolazione altezza schienale.*



**SM4552015**  
Asynchron mechanism with three levers and knob for back height adjustment.  
*Meccanismo asynchron a tre leve con volantino per regolazione altezza schienale.*



**SM4602015**  
Asynchron mechanism with three levers and Up-Down backrest support blade.  
*Meccanismo asynchron a tre leve e lama di supporto schienale con Up-Down.*



**SM0102015**  
170x170 mm stool plate made of steel sheet with lever for gas spring activation.  
*Piastra per sgabello in lamiera d'acciaio 170x170 mm con leva per comando gas.*



**SM0104015**  
170x170 mm stool plate made of steel sheet with ring for gas spring activation.  
*Piastra per sgabello in lamiera d'acciaio 170x170 mm con anello per comando gas.*

This catalogue replaces and invalidates all previous editions. The reproduction, even partial, of this catalogue is prohibited unless previously authorised in writing by Diwar Srl. Diwar Srl reserves the right to modify this catalogue and/or the products it contains, in order to make improvements or in any case for any technical and/or commercial reason it considers useful, without prior notice.

All rights reserved.


*Il presente catalogo sostituisce e annulla tutte le precedenti edizioni.*

*E' vietata qualsiasi riproduzione, anche parziale, di foto, testi e disegni del presente catalogo, se non preventivamente autorizzata per iscritto da Diwar Srl.*

*Diwar Srl si riserva il diritto di apportare modifiche ai prodotti e alle informazioni contenute nel presente catalogo senza obbligo di preavviso alcuno al fine di apportare migliorie o comunque per qualsiasi ragione tecnica e/o commerciale ritenesse utile.*

*Tutti i diritti sono riservati.*







Diwar